

# EAPro® Comparison



**WINLAND™**  
ELECTRONICS, INC.

Features	EA800-ip	EAPro®
Wire Inputs	4	4
RF Inputs	Max 8	30
Relay Output	9	5
Relay Power Output @ 1 Amp.	Yes (9 relays)	Yes (4 Relays)
Relay Power Output @ 3 Amp.	No	Yes (1 Relay)
Latching Relay	No	Yes (Optional Selectable)
Non-Latching Relay	Yes	Yes (Optional Selectable)
Remote Management	Yes	Yes
Standalone	Yes	Yes
CRF 21 Part 11 Guideline	No	Yes
Individual Relay High/Low Option	No	Yes
Stackable Relay Setpoints	Yes for entire sensor	Yes for each setpoint
Optional Relay Trip	Requires a relay (Aux)	Yes
Event only Relay	No	Optional
Independent High/Low Programming Per Sensor	No	Yes
Independent warning set Points Programming Per Sensor	No	Yes

Visit [www.winland.com](http://www.winland.com), call 800.635.4269 or email [techsupport@winland.com](mailto:techsupport@winland.com) to learn more.

424 North Riverfront Drive, Suite 200 • Mankato, MN • 56001 • 800.635.4269 • [www.winland.com](http://www.winland.com)

# EAPro®-Gateway Features Comparison



**WINLAND™**  
ELECTRONICS, INC.

Features	EA800-ip	EAPro®-Gateway
Touchscreen	No	Yes
Remote Configuration Storage	No	Yes
Wi-Fi	No	Yes
PoE	No	Yes
Pausing	Device Level	Sensor Level
Datalogging	Device Level	Sensor Level
Min/Max Sensor Reading	No	Yes
VFC Guideline	No	Yes - limited distance
Power Requirement	11~26V @ 500mA	11~26V @ 1A
Clock Battery	Yes	Yes
Internal Battery UPS	No	Yes
User Logging (Local)	No	Yes
LED Indication	No	Yes (Optional Selectable)
Local Buzzer	Yes	Yes (Optional Selectable)
Energized / De-Energize Relay	Yes (Configurable)	Yes (Configurable)
Relay Test	No	Yes

Visit [www.winland.com](http://www.winland.com), call 800.635.4269 or email [techsupport@winland.com](mailto:techsupport@winland.com) to learn more.

424 North Riverfront Drive, Suite 200 • Mankato, MN • 56001 • 800.635.4269 • [www.winland.com](http://www.winland.com)

- Latching Relay:  
Relays stays in alarm condition until manual clear.
- Non-Latching Relay  
Relay Auto-clears once zone is back within set range.
- Standalone:  
No network requirement / can be used without INSIGHT
- CRF 21 Part 11 Guidelines:  
This device is not CFR 21 part 11 Certified at this time. Auditing has been enhanced.
- Individual Relay High / Low Option:  
One output for either High Alarm or Low Alarm
- Stackable Relay Setpoints:  
Allows for merged output
- Optional Relay Trip:  
Ability to have a relay disabled per sensor
- Event only Relay:  
Relay to trigger offline, loss of sensor RF, customizable
- Independent High / Low Programming Per Sensor:  
Program a Sensor to only send an alarm for either a high alarm or low alarm.
- Independent Warning Set Points Programming Per Sensor:  
Ability to program an additional warning set point for a sensor to be alerted before conditions get critical.
- Remote Configuration Storage:  
Allows INSIGHT to store your config file for retrieval at a later time.
- Wi-Fi:  
2.4Ghz only
- Pausing:  
Pause monitoring for maintenance.
- VFC Guideline:  
Vaccine For Children is a guideline that vaccines often have to follow.
- User Logging:  
Independent access levels for user accounts to control who can do what.
- Energized / De-Energize Relay:  
Monitor relay based on loss of power as well as sensor
- Relay Test:  
Ability to test relay for alarm panel validation.

Visit [www.winland.com](http://www.winland.com), call 800.635.4269 or email [techsupport@winland.com](mailto:techsupport@winland.com) to learn more.

424 North Riverfront Drive, Suite 200 • Mankato, MN • 56001 • 800.635.4269 • [www.winland.com](http://www.winland.com)